



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/942,663	08/31/2001	Shigeo Kittaka	N36-135850M/TH	7814
30743	7590	05/04/2005	EXAMINER	
WHITHAM, CURTIS & CHRISTOFFERSON, P.C. 11491 SUNSET HILLS ROAD SUITE 340 RESTON, VA 20190			STOCK JR, GORDON J	
			ART UNIT	PAPER NUMBER
			2877	

DATE MAILED: 05/04/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/942,663

Applicant(s)

KITAKA ET AL.

Examiner

Gordon J. Stock

Art Unit

2877

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 04 February 2005.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-28 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 14 and 17-27 is/are allowed.
- 6) ☒ Claim(s) 1-13 and 28 is/are rejected.
- 7) ☒ Claim(s) 15 and 16 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 15 November 2001 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

DETAILED ACTION

Drawings and Specification

1. The drawings and specification are objected to as failing to comply with 37 CFR 1.84(p)(5) because they include the following reference sign(s) not mentioned in the description: **4, 11, and 12** of Fig. 20. A proposed drawing correction, corrected drawings, or amendment to the specification to add the reference sign(s) in the description, are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.

Double Patenting

2. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Art Unit: 2877

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

3. **Claims 1, 3, 6, 7, 9, 10** are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over **claims 1, 5, 7, 8, 11, and 16 of U.S. Patent Application (Kittaka et al.)**. Although the conflicting claims are not identical, they are not patentably distinct from each other because **claims 1, 3, 6, 7, 9, 10 and claims 1, 5, 7, 8, 11, and 16** are both apparatus claims for an optical device comprising a periodic multilayer structure being a one-dimensioned photonic crystal, wherein an end surface not parallel to layer surfaces is used at least one of a beam incidence surface and a beam exit surface; one period of structure is formed of layers of different materials; wherein the end surface as an incident or exit surface crosses layer surfaces perpendicularly; the periodic multilayer structure is an optical multilayer film formed on a transparent substrate with respect to a particular wavelength used; with means for mixing various luminous flux having a plurality of wavelengths and means for detecting the beam rays exiting optical device at different angles in accordance to wavelengths incident on optical device.

Claim Rejections - 35 USC § 102

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Art Unit: 2877

5. **Claims 1, 3, 4, and 6-11** are rejected under 35 U.S.C. 102(b) as being anticipated by **Burt et al. (6,052,213)**—previously cited.

As for **claims 1, 3, 4, 6-11**, Burt in an optical diffraction grating teaches the following: a periodic multilayer structure comprising layers of InP and an end surface not parallel but approximately perpendicular to the layer surfaces is a beam incident surface and an exit surface also is perpendicular as a beam exit surface (Fig. 7a; col. 5, lines 65-67; col. 6, lines 1-15); wherein, the structure is a one-dimensioned photonic crystal (col. 6, lines 17-35); with the period of the pillars comprising layers formed out of different materials (Figs. 7a and 7b); with the pillars being able to vary continuously in size at different depths or varying in cross section such as being ellipsoidal (col. 6, lines 13-17); wherein the end surface and exit surface crosses perpendicularly said layer surfaces and are parallel to each other (Fig. 1; Fig. 7a; Fig. 9a); wherein the structure formed and repeated due to dependence on wavelength (col. 6, lines 20-27); the multilayer structure is an optical multilayer film of epitaxial layers (col. 5, lines 1-45); the structure is formed upon a transparent substrate and the beams are reflected in the transparent substrate and taken out of said substrate (Fig. 1: 2; col. 4, lines 1-10); means for making a mixture of various luminous flux (Fig. 1: w; Fig. 9a: 93) and means for detecting rays of differing angles (Fig. 9a: 95 and output to terminal equipment).

Claim Rejections - 35 USC § 103

6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

7. **Claims 1, 3, and 5-9** are rejected under 35 U.S.C. 103(a) as being unpatentable over **Inoue et al. (5,033,810)**—previously cited in view **Todori et al. (6,002,522)**—previously cited.

As to **claims 1, 3, 6-9**, Inoue in an optical device discloses the following: a periodic multilayer structure, wherein two end surfaces are used for an entrance and exit surface; layers are formed out of different materials; end surfaces are perpendicularly crossed layer surfaces; exit surface crosses layer surfaces; exit and incident surfaces are parallel; and one structure is repeated with respect to a wavelength used (Fig. 1; Fig. 4b; col. 2, lines 45-67; col. 3, lines 1-5; col. 4, lines 3-40; col. 6, lines 1-40). Inoue does not explicitly state that the periodic multilayer structure is a one-dimensional photonic crystal, but he suggests it for the structure modulates input wavelength light by causing nonlinear effects such as second order harmonics (col. 2, lines 45-60) and the structure is uniaxial (col. 3, lines 25-35). Todori in an optical functional element comprising photonic crystal teaches that one dimensional photonic crystals are multilayered dielectric substances that produce second order harmonic effects with light passing through parallel to the layer surfaces with modulating effects due to photonic band gap (col. 5, lines 54-65; Fig. 9; col. 13, lines 15-25; col. 5, lines 20-35). Therefore, it would be obvious to one of ordinary skill in the art at the time the invention was made that Inoue's structure is one dimensional photonic crystal, for the uniaxial periodic multilayer structure modulates input wavelength light and produces second order harmonic effects indicative of having a photonic band structure.

Art Unit: 2877

As for **claim 5**, Inoue in view of Todoru discloses everything as above (see **claim 1**).

Inoue is silent concerning a maximum refractive index is not smaller than .1 in a wavelength used. However, Todoru discloses that at least a .1 refractive index difference is needed for modulating a wavelength of light (col. 10, lines 5-10). Therefore, it would be obvious to one of ordinary skill in the art at the time the invention was made to have the maximum refractive index be at least .1 in order to modulate the wavelength of light entering the optical device.

8. **Claim 1, 3, 5, 6, 9-13, 28** is rejected under 35 U.S.C. 103(a) as being unpatentable over **Normandin et al. (5,111,466)**—previously cited in view **Todoru et al. (6,002,522)**—previously cited.

As for **claims 1, 3, 6, 9-11, and 28**, Normandin in an optical multilayer structure for harmonic laser emission discloses: a multilayer structure with an end surface not parallel to layer surfaces of said multilayer structure used as a beam incidence or exit surface; layers are formed of different materials; end surface on which beam is incident crosses said layer surfaces substantially perpendicular; one structure on substrate is repeated with respect to wavelength used; means for making a mixture of various luminous flux having a plurality of wavelengths; and means for detecting beam rays exiting at different angles in accordance to frequencies; beam rays made to exit from said multilayer film toward said substrate are reflected in the inside of said substrate and taken out from an end surface of said substrate (Figs. 1, 8, 9; col. 3, lines 1-15 and 55-67; col. 6, lines 55-65; col. 7, lines 15-30); whereas, refractive indices are continuously changing (col. 3, lines 15-30) and a refractive index difference between layers of different materials may be used (col. 4, line 35-50). Normandin does not explicitly state that the periodic multilayer structure is a one-dimensional photonic crystal, but he suggests it for the structure

Art Unit: 2877

modulates input light with regions of differing indices of refraction (col. 3, lines 15-25) with nonlinear harmonic effects (col. 6, line 35-50). Todorin in an optical functional element comprising photonic crystal teaches that one dimensional photonic crystals are multilayered dielectric substances that produce second order harmonic effects with light passing through parallel to the layer surfaces with modulating effects due to photonic band gap (col. 5, lines 54-65; Fig. 9; col. 13, lines 15-25; col. 5, lines 20-35). Therefore, it would be obvious to one of ordinary skill in the art at the time the invention was made that Inoue's structure is one dimensional photonic crystal, for the periodic multilayer structure modulates input wavelength light and produces nonlinear harmonic effects indicative of having a photonic band structure.

As for **claim 5**, Normandin in view of Todorin discloses everything as above (see **claim 1**). Normandin is silent concerning a maximum refractive index is not smaller than .1 in a wavelength used. However, Todorin discloses that at least a .1 refractive index difference is needed for modulating a wavelength of light (col. 10, lines 5-10). Therefore, it would be obvious to one of ordinary skill in the art at the time the invention was made to have the maximum refractive index be at least .1 in order to modulate the wavelength of light entering the optical device.

As for **claim 12**, Normandin in view of Todorin disclose everything as above (see **claim 1**). In addition, Normandin discloses two incident surfaces perpendicular to said layer surfaces and one surface parallel to said layer surfaces as a beam exit surface (Fig. 1: 1, 3, 11).

As for **claim 13**, Normandin discloses everything as above (see **claim 12**). He is silent concerning the particular period to wavelength relation of claim 2. However, Todorin in an optical functional element comprising a photonic crystal teaches that the specific period to

Art Unit: 2877

wavelength relation is necessary for proper signal transmission in optical communications; whereas, the period is equal to one half the wavelength and thereby is greater than or equal to one half the wavelength divided by any refractive index greater than or equal to 1.0 (col. 6, lines 35-50). Therefore, it would be obvious to one of ordinary skill in the art at the time the invention was made to have the photonic crystal device have a period greater than or equal to one half the wavelength divided by the refractive index in order to have proper signal transmission in optical communications.

9. **Claim 2** is rejected under 35 U.S.C. 103(a) as being unpatentable over **Inoue et al. (5,033,810)**—previously cited in view of **Todori et al. (6,002,522)**—previously cited.

As for **claim 2**, Inoue discloses everything as above (see **claim 1**). He is silent concerning the particular period to wavelength relation of claim 2. However, Todori in an optical functional element comprising a photonic crystal teaches that the specific period to wavelength relation is necessary for proper signal transmission in optical communications; whereas, the period is equal to one half the wavelength and thereby is greater than or equal to one half the wavelength divided by any refractive index greater than or equal to 1.0 (col. 6, lines 35-50). Therefore, it would be obvious to one of ordinary skill in the art at the time the invention was made to have the photonic crystal device have a period greater than or equal to one half the wavelength divided by the refractive index in order to have proper signal transmission in optical communications.

Allowable Subject Matter

10. **Claims 14 and 17-27** are allowed.

Art Unit: 2877

Claims 15, and 16 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

As to **claim 14**, the prior art of record, taken alone or in combination, fails to disclose or render obvious in an optical device the particular condition being satisfied, in combination with the rest of the limitations of **claims 14, 18-27**.

As to **claim 15**, the prior art of record, taken alone or in combination, fails to disclose or render obvious in an optical device the beam incidence surface is a surface parallel to said layer surfaces of said multilayer structure and wherein the beam exit surface is approximately perpendicular to said layer surfaces in combination with the rest of the limitations of **claims 15-16**.

As to **claim 17**, the prior art of record, taken alone or in combination, fails to disclose or render obvious in an optical device the particular condition being satisfied, in combination with the rest of the limitations of **claim 17**.

Response to Arguments

11. Applicant's arguments with respect to the claims have been considered but are moot in view of the new ground(s) of rejection. However, in regards to arguments concerning the rejection to the claims under 35 U.S.C. 102(b) with Burt et al. (6,052,213) in remarks of February 4, 2005, Examiner does not find them persuasive. Specifically, the limitation "periodic multilayer structure" does not preclude a multilayer structure comprising periodic pillars. Also in regards to arguments in Remarks of July 19, 2004, with the arguments concerning the rejections under 35 U.S.C. 102(b) with Inoue et al. (5,033,810) that the present invention does

Art Unit: 2877

not have to be non-linear material and that input light is only dispersed and not modulated: it is noted that the features upon which applicant relies (i.e., not being of non-linear material and dispersing rather than modulating) are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

Also in regards to arguments in Remarks of July 19, 2004, with the arguments concerning the rejections under 35 U.S.C. 102(b) with Normandin et al. (5,111,466) that the present invention does not have to be non-linear material and that input light is only dispersed and not modulated and that light is input on one side: it is noted that the features upon which applicant relies (i.e., not being of non-linear material and dispersing rather than modulating and solely one incident surface) are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

In regards to the arguments in Remarks of July 19, 2004 concerning the rejection under 35 103(a) with Normandin et al. (5,111,466) in view of Yeh et al. concerning Normandin does not disclose a 'photonic crystal,' please refer to rejection under 35 U.S.C. 103(a) with Normandin et al. (5,111,466) in view of Todor et al. (6,002,522) above.

As for the remarks of February 4, 2005 in regards to the objections to the drawings and specification, Examiner acknowledges the amendment to the specification and that the applicant will be submitting a replacement sheet that removes 11 and 12 from Fig. 20. However, reference sign '4' was not addressed. Please refer to drawing objections above.

Art Unit: 2877

As for the allowable subject matter mentioned in the previous action in regards to **claims 12 and 13**, Examiner apologizes for the inconvenience but upon further consideration of the references, new rejections of **claims 12 and 13** were made.

As for the new rejections under 35 U.S.C. 103(a) with primary references, Inoue et al. (5,033,810) and Normandin et al. (5,111,466) both previously cited, Examiner apologizes for the inconvenience but upon further consideration of the references, new rejections were made.

Fax/Telephone Numbers

If the applicant wishes to send a fax dealing with either a proposed amendment or a discussion with a phone interview, then the fax should:

- 1) Contain either a statement "DRAFT" or "PROPOSED AMENDMENT" on the fax cover sheet; and
- 2) Should be unsigned by the attorney or agent.

This will ensure that it will not be entered into the case and will be forwarded to the examiner as quickly as possible.

Papers related to the application may be submitted to Group 2800 by Fax transmission. Papers should be faxed to Group 2800 via the PTO Fax machine located in Crystal Plaza 4. The form of such papers must conform to the notice published in the Official Gazette, 1096 OG 30 (November 15, 1989). The CP4 Fax Machine number is: (703) 872-9306

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gordon J. Stock whose telephone number is (571) 272-2431.

The examiner can normally be reached on Monday-Friday, 10:00 a.m. - 6:30 p.m.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gregory J. Toatley, Jr., can be reached at 571-272-2800 ext 77.

Art Unit: 2877

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private Pair system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


gs

April 28, 2005


Zandra V. Smith
Primary Examiner
Art Unit 2877